


HL-150 Infrared Laser Thermometer

-30°C to +270°C (6:1 ratio)



- Laser targeting
- Adjustable emissivity from 0.10 to 1.0
- °C/°F selectable
- Automatic data hold
- Auto power off / low battery indication
- Backlit 3½ digit LCD display
- Min/Max temperature displays
- High alarm
- Over range indication
- Lock mode
- Wrist strap
- Supplied with 2 x AAA batteries
- 97mm x 57mm x 29mm




order code HL-150

HL-550 Infrared Laser Thermometer

-50°C to +550°C (8:1 ratio)



- Laser targeting
- 0.95 emissivity (fixed)
- °C/°F selectable
- Automatic data hold
- Auto power off
- Low battery indication
- Backlit LCD display
- Over range indication
- Supplied with 9V battery and soft case
- 160mm x 82mm x 42mm




order code HL-550

HL-8862B Infrared Laser Thermometer

-50°C to +650°C (12:1 ratio)



- Dual laser targeting for accuracy
- Adjustable emissivity from 0.10 to 1.0
- °C/°F selectable
- Automatic data hold
- Auto power off / low battery indication
- Backlit 25mm x 25mm LCD display
- Max temperature display
- High and Low alarm
- Over range indication
- Trigger lock
- Supplied with 9V battery and soft case
- 146mm x 43mm x 104mm




order code HL-8862B

HL-800K Infrared Laser Thermometer

-50°C to +800°C (13:1 ratio)



- Laser targeting
- Adjustable emissivity from 0.10 to 1.0
- °C/°F selectable
- Accepts Type K Thermocouple (mini plug)
- Data logging (20 memory readings)
- Automatic data hold
- Auto power off / low battery indication
- Backlit LCD display
- Min/Max, Average, Difference displays
- High and Low alarm
- Over range indication
- Supplied with 9V battery and soft case
- 180mm x 106mm x 48mm



Accepts Type K input


order code HL-800K

HL-1600 Infrared Laser Thermometer

-50°C to +1600°C (50:1 ratio)



- Laser targeting
- Adjustable emissivity from 0.10 to 1.0
- °C/°F selectable
- Automatic data hold
- Auto power off
- Backlit LCD display
- Min/Max, Average, Difference displays
- High and Low alarm
- Trigger lock
- Over range indication
- Low battery indication
- Supplied with 9V battery, carry case, tripod
- 220mm x 120mm x 56mm




order code HL-1600

HL-1850D Infrared Laser Thermometer

-50°C to +1850°C (50:1 ratio)



- Dual laser targeting for accuracy
- Adjustable emissivity from 0.10 to 1.0
- °C/°F selectable
- Accepts Type K Thermocouple (mini plug)
- Data logging function (99 readings)
- Automatic data hold
- Auto power off
- White backlit LCD display
- Min/Max, Average, Difference displays
- High and Low alarm
- Over range and low battery indication
- Trigger lock
- Supplied with 9V battery, carry case, tripod, USB cable and software
- 204mm x 155mm x 52mm



Accepts Type K input

order code HL-1850D

Full technical specifications are available for download at www.thermosense.co.uk

